Wisconsin Healthy People 2010 Local Data Package

Developed by the Bureau of Health Information and Policy in the Division of Public Health

February, 2005 Edition
Wisconsin Department of Health and Family Services


Trempealeau County

Leading Health Indicators

Binge Drinking


Adults 18+ who consumed 5 or more drinks on one occasion in the past 30 days

Western Region



Tobacco Use


Adults 18+ who currently smoke cigarettes
Western Region



Obesity and Overweight, 2000-2002


Percent of adults 18+ obese and/or overweight based on Body Mass Index (BMI)

Western Region




Regular and Vigorous Physical Activity

Adults 18+ who exercise 20 minutes or more at 50% of aerobic capacity, 3 or more times per week



Health Insurance Coverage


Adults 18+ with coverage entire preceding year Western Region



Mortality Due to Coronary Heart Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population


Trempealeau County



Mortality Due to Cerebrovascular Disease

Rates per 100,000 population, age-adjusted to year 2000 standard population


Trempealeau County



Mortality Due to Lung Cancer


Rates per 100,000 population, age-adjusted to year 2000 standard population

Trempealeau County




Mortality Due to Breast Cancer

Rates per 100,000 female population, age-adjusted to year 2000 standard population Western Region




Cerebrovascular Disease Deaths, 1998-2002

number of deaths
Trempealeau County




Lung Cancer Deaths, 1998-2002


Number of deaths
Trempealeau County





Breast Cancer Deaths, 1998-2002

Number of deaths
Trempealeau County










Environmental Factors

Hospitalizations for Asthma


Rates per 10,000 population, age-adjusted to year 2000 standard population

Trempealeau County



Children in Medicaid/WIC Screened for Lead


Percent of program-eligible children ever tested
Trempealeau County



socioeconomic Indicators

Children In Poverty


Percent of children 0-17 below poverty level, 1999
Trempealeau County



Poverty: All Ages

Percent of total county population below poverty level, 1999


Trempealeau County



Median Income

1999 median household income (annual)


Trempealeau County



Waternal and Child-tealth

Infant Mortality


Deaths before age one per 1,000 live births
Western Region



First-Trimester Prenatal Care, 2002

Percent of births to mothers who received early prenatal care

Trempealeau County



Teen Births, 1998-2002


Number of births to mothers less than 20 years of age Trempealeau County



Injury and Violence

Motor Vehicle Crashes Related to Alcohol

Percent of crashes where alcohol was a factor Trempealeau County



Sexually Transmitted Diseases

Sexually Transmitted Diseases

Number of chlamydia and gonorrhea cases reported, 1998-2002

Trempealeau County

